OIPE

RAW SEQUENCE LISTING DATE: 09/10/2001 PATENT APPLICATION: US/09/899,422 TIME: 09:20:17

Input Set : A:\98385Hseq.txt

Output Set: N:\CRF3\09102001\1899422.raw

```
3 <110> APPLICANT: Hauptmann, Rudolph
             Himmler, Adolph
     5
             Maurer-Fogy, Ingrid
             Stratowa, Christian
     8 <120> TITLE OF INVENTION: TNF Receptors, TNF Binding Proteins and DNAs Coding for
     11 <130> FILE REFERENCE: 98,385-H
     13 <140> CURRENT APPLICATION NUMBER: 09/899,422
C--> 14 <141> CURRENT FILING DATE: 2001-08-21
     16 <150> PRIOR APPLICATION NUMBER: 09/525,998
                                                                ENTERED
    17 <151> PRIOR FILING DATE: 2000-03-15
    19 <150> PRIOR APPLICATION NUMBER: 08/383,676
    20 <151> PRIOR FILING DATE: 1995-02-01
    22 <150> PRIOR APPLICATION NUMBER: 08/153,287
    23 <151> PRIOR FILING DATE: 1993-11-17
    25 <150> PRIOR APPLICATION NUMBER: 07/821,750
     26 <151> PRIOR FILING DATE: 1992-01-02
     28 <150> PRIOR APPLICATION NUMBER: 07/511,430
     29 <151> PRIOR FILING DATE: 1990-04-20
     31 <160> NUMBER OF SEQ ID NOS: 87
     33 <170> SOFTWARE: PatentIn Ver. 2.0
     35 <210> SEQ ID NO: 1
     36 <211> LENGTH: 1368
     37 <212> TYPE: DNA
     38 <213> ORGANISM: Homo sapiens
     40 <220> FEATURE:
     41 <221> NAME/KEY: CDS
     42 <222> LOCATION: (1)..(1368)
     44 <220> FEATURE:
     45 <221> NAME/KEY: sig_peptide
     46 <222> LOCATION: (1)..(87)
     48 <220> FEATURE:
     49 <221> NAME/KEY: misc_feature
     50 <222> LOCATION: (88)..(120)
     51 <223> OTHER INFORMATION: Portion of TNF-BP pro protein cleaved by
             extracellular proteases following secretion.
     54 <220> FEATURE:
     55 <221> NAME/KEY: misc_feature
     56 <222> LOCATION: (606)..(633)
     57 <223> OTHER INFORMATION: Portion of TNF-BP pro protein cleaved by
             extracellular proteases following secretion.
     60 <400> SEQUENCE: 1
     61 atg ggc ctc tcc acc gtg cct gac ctg ctg ctg cca ctg gtg ctc ctg
     62 Met Gly Leu Ser Thr Val Pro Asp Leu Leu Pro Leu Val Leu Leu
                          5
                                             10
     65 gag ctg ttg gtg gga ata tac ccc tca ggg gtt att gga ctg gtc cct
```

66 Glu Leu Leu Val Gly Ile Tyr Pro Ser Gly Val Ile Gly Leu Val Pro

Input Set : A:\98385Hseq.txt

Output Set: N:\CRF3\09102001\1899422.raw

67				20					25					30			
	cac	cta	aaa		agg	σασ	aaq	aσa		agt	ata	tgt	acc		σσα	aaa	144
												Cys					
71			35	•	,		4	40				- 1 -	45		1	-1 -	
73	tat	atc	cac	cct	caa	aat	aat	tca	att	tac	tat	acc	aaq	tac	cac	aaa	192
												Thr					
75		50					55			-1-	-1-	60	-1-	-1-		-2 -	
77	ασa		tac	tta	tac	aat		tat	cca	aac	cca.	ggg	caq	σat	acσ	gac	240
												Gly					
79	65		-1-		-1-	70		-1-		1	75	1				80	
81	tac	aqq	σaσ	tat	gag	agc	aac	tcc	ttc	acc	act	tca	σaa	aac	cac	ctc	288
												Ser					
83	-			- 4	85					90					95		
	aσa	cac	tac	ctc		tac	tcc	aaa	tac		aaq	gaa	atq	aat		ata	336
												Glu					
87			- 4 -	100		- 1		-1-	105	,	-1-			110			
89	σασ	atc	tct		tac	aca	ata	gac		gac	acc	gtg	tat		tac	agg.	384
												Val					
91			115		- 2 -			120	,				125	1	-1-	,	
	aaq	aac		tac	caa	cat	tat		aσt	σaa	aac	ctt		caq	tac	ttc	432
			-						_	_		Leu		_	_		
95		130					135					140			-1-		
97	aat	tac	agc	ctc	tac	ctc	aat	aaa	acc	ata	cac	ctc	tcc	tac	caq	gag	480
			-									Leu		_	_		
	145	•			•	150		-			155			-		160	
103	Laaa	cag	aac	acc	gtg	tgo	acc	tgo	cat	gea	ı ggt	t tto	ttt	cta	aga	gaa	528
																Glu	
103					165					170					175		
105	aad	gag	, tgt	gto	c tcc	tgt	agt	aac	tgt:	aag	gaaa	a ago	ctg	gag	, tg	cacg	576
106	Asr	Gli	ı Cys	Val	. Ser	Cys	Ser	Asr	Cys	Lys	Lys	s Ser	Let	ı Gli	ı Cys	Thr	
107	7			180)				185	5				190)		
109	aag	, tt	, tgc	cta	ccc	cag	, att	gag	, aat	gtt	aag	g ggc	act	gag	g gad	c tca	624
110) Lys	: Let	1 Сув	: Let	ı Pro	Glr	ılle	e Glu	ı Asr	ı Val	. Lys	s Gly	Thr	Glu	ı Asp	Ser	
11:	L		195	5				200)				205	5			
11:	ggc	aco	c aca	gtg	g ctg	ttg	ccc	ctg	gto	att	: tto	: ttt	ggt	ctt	: tgd	ctt	672
114	Gly	Thi	Thi	. Val	. Leu	Lei	ı Pro	Leu	ı Val	. Ile	Phe	e Phe	Gly	z Lei	а Суя	Leu	
115	5	210)				215	5				220	ı				
117	7 tta	a tco	cto	cto	ttc	att	ggt	: tta	atg	, tat	cgo	c tac	caa	cgg	, tgg	g aag	720
118	3 Lei	ı Sei	: Leu	ı Let	ı Phe	Ile	e Gly	Let	ı Met	. Tyr	Arg	y Tyr	Glr	Arg	, Tr	Lys	
119	225	5				230)				235	5.				240	
123	Ltc	aag	, ctc	: tac	tcc	att	gtt:	: tgt	ggg	, aaa	tc	g aca	cct	gaa	aaa	a gag	768
122	? Sei	: Lys	: Let	ı Tyr	Ser	Ile	val	. Cys	Gly	/ Lys	Se ₁	r Thr	Pro	Glu	ı Lys	Glu	
123	3				245					250)				255	5	
125	ggg	g gag	, ctt	gaa	ı gga	act	act	: act	aag	g ccc	ctg	g gcc	cca	aac	c cca	agc	816
126	Gly	/ Glu	ı Let			Thr	Thr	Thr			Leu	ı Ala	Pro) Asr	n Pro	Ser	
127				260					265					270			
																gtg	864
		e Sei			Pro	Gly	? Phe			Thr	Leu	ı Gly			Pro	val	
13:	L		275	5				280)				285	5			

Input Set : A:\98385Hseq.txt

Output Set: N:\CRF3\09102001\1899422.raw

		agt															912
134	Pro	Ser	Ser	Thr	Phe	Thr		Ser	Ser	Thr	Tyr		Pro	Gly	Asp	Cys	
135		290					295					300					
		aac															960
		Asn	Phe	Ala	Ala		Arg	Arg	Glu	Val		Pro	Pro	Tyr	Gln		
	305					310					315					320	
		gaç															1008
	Ala	Asp	Pro	Ile		Ala	Thr	Ala	Leu		Ser	Asp	Pro	Ile		Asn	
143					325					330					335		* * * * * *
		ctt															1056
	Pro	Leu	GIn		Trp	Glu	Asp	Ser		Hls	гаг	Pro	GIn		Leu	Asp	
147				340					345					350			1104
		gat	_			_											1104
	Thr	Asp	_	Pro	Ala	Thr	ьeu	-	Ala	vaı	vaı	GIU		vai	Pro	PFO	
151			355					360		-+-		~+~	365	~~~	a > a	~~~	1152
		cgc Arg															1132
155	ьeu	370	ттр	пуѕ	GIU	Pne	375	Arg	AIG	ьеи	GIY	380	261	ASP	птъ	Giu	
	a+c	gat	caa	ata	αaα	cta		220	aaa	cac	tac		cac	παπ	αcα	caa	1200
		Asp		_		_	_			_							1200
	385	пор	1119	ьси	Olu	390	· · · ·		U 1	*** 9	395	Lou	9	014		400	
		agc	atα	cta	aca		taa	agg	·caa	cac.		cca	caa	cac	σασ		1248
		Ser															
163	-1-	001	1100		405			5	9	410			,	J	415		
	acq	ctg	σaσ	cta		qqa	cqc	qtq	ctc	cqc	gac	atg	qac	ctg	ctg	ggc	1296
		Leu															
167				420		_	_		425	_	_		_	430			
169	tgc	ctg	gag	gac	atc	gag	gag	gcg	ctt	tgc	ggc	ccc	gcc	gcc	ctc	ccg	1344
170	Cys	Leu	Glu	Asp	Ile	Glu	Glu	Ala	Leu	Cys	Gly	Pro	Ala	Ala	Leu	Pro	
171			435					440					445				
173	ccc	gcg	ccc	agt	ctt	ctc	aga	tga									1368
174	Pro	Ala	Pro	Ser	Leu	Leu	Arg				-						
175		450					455										
178	<210	0> SI	EQ II	ои с	: 2												
179	<21	1> LI	ENGTI	H: 4	55												
		2> T															
		3> 01				o sap	piens	3									
		0> SI													_	_	
		Gly	Leu	Ser		Val	Pro	Asp	Leu		Leu	Pro	Leu	Val		Leu	
185	1		_		- 5		_	_	_	10		1	~ 7	-	15	D	
	Glu	Leu	Leu		GLY	IIe	Tyr	Pro		GTA	vaı	TTE	GTA		vaı	Pro	
188		_		20	_	a 1 .		•	25	0	**- 1	0	D	30	~1	T	
	His	Leu		Asp	Arg	GLU	ьуѕ		Asp	ser	val	Cys		GIN	GIA	гуѕ	
191	m	T 1 -	35	D	~1 ~	7	7	40	т1-	C***	Circ	mb ~	45	C**~	ui.	Tarc	
	туr	Ile	HlS	Pro	GIN	ASN	Asn 55	ser	116	Cys	Cys	fnr 60	пуѕ	Cys	птѕ	туъ	
194	C1	50	Птт	Ton	П1177~	Nan		Cvc	Dro	Gl v	Dro		Gla	λαη	ሞb r	Asp .	
196	65	THT	тАт	ьcи	тЛт	70	тор	Cys	FIU	GIY	75	CIY	CIII	rap	- 11L	80 .	
		Arg	Clu	Cve	Glu		Glv	Ser	Phe	Thr	_	Ser	Glu	Asn	His		
エジジ	Cys	AT 9	GIU	Cys	U LU	Der	- <u>- y</u>	O C 1	1110				Jiu				

Input Set : A:\98385Hseq.txt

Output Set: N:\CRF3\09102001\I899422.raw

200					85					90					95	
202	Arσ	His	Cvs	Leu	Ser	Cvs	Ser	Lvs	Cys		Lvs	Glu	Met	Glv	Gln	Val
203	5		- 2 -	100		-1 -		-1-	105	5	-1-			110		
205	Glu	Ile	Ser	Ser	Cys	Thr	Val	Asp	Arg	Asp	Thr	Val	Cys	Glv	Cys	Arq
206			115		•			120		-			125	-	-	
208	Lys	Asn	Gln	Tyr	Arq	His	Tyr	Trp	Ser	Glu	Asn	Leu	Phe	Gln	Cys	Phe
209	-	130		-	,		135	-				140			-	
211	Asn	Cvs	Ser	Leu	Cvs	Leu		Glv	Thr	Val	His	Leu	Ser	Cvs	Gln	Glu
	145	-			-	150		•			155			•		160
214	Lys	Gln	Asn	Thr	Val	Cys	Thr	Cys	His	Ala	Gly	Phe	Phe	Leu	Arg	Glu
215	-				165	-		-		170	-				175	
217	Asn	Glu	Cys	Val	Ser	Cys	Ser	Asn	Cys	Lys	Lys	Ser	Leu	Glu	Cys	Thr
218			_	180		-			185	-	-			190	-	
220	Lys	Leu	Cys	Leu	Pro	Gln	Ile	Glu	Asn	Val	Lys	Gly	Thr	Glu	Asp	Ser
221	Ť.		195					200			•	_	205		-	
223	Gly	Thr	Thr	Val	Leu	Leu	Pro	Leu	Val	Ile	Phe	Phe	Gly	Leu	Cys	Leu
224	_	210					215					220	-		•	
226	Leu	Ser	Leu	Leu	Phe	Ile	Gly	Leu	Met	Tyr	Arq	Tyr	Gln	Arq	Trp	Lys
	225					230	-			-	235	-		_	-	240
229	Ser	Lys	Leu	Tyr	Ser	Ile	Val	Cys	Gly	Lys	Ser	Thr	Pro	Glu	Lys	Glu
230		-		-	245			-	-	250					255	
232	Gly	Glu	Leu	Glu	Gly	Thr	Thr	Thr	Lys	Pro	Leu	Ala	Pro	Asn	Pro	Ser
233	_			260	_				265					270		
235	Phe	Ser	Pro	Thr	Pro	Gly	Phe	Thr	Pro	Thr	Leu	Gly	Phe	Ser	Pro	Val
236			275					280					285			
238	Pro	Ser	Ser	Thr	Phe	Thr	Ser	Ser	Ser	Thr	Tyr	Thr	Pro	Gly	Asp	Cys
239		290					295					300				
241	Pro	Asn	Phe	Ala	Ala	${\tt Pro}$	Arg	Arg	Glu	Val	Ala	Pro	Pro	Tyr	Gln	Gly
242	305					310					315					320
244	Ala	Asp	Pro	Ile	Leu	Ala	Thr	Ala	Leu	Ala	Ser	Asp	Pro	Ile	Pro	Asn
245					325					330					335	
247	Pro	Leu	Gln	Lys	Trp	Glu	Asp	Ser	Ala	His	Lys	Pro	Gln	Ser	Leu	Asp
248				34 0					345					350		
250	Thr	Asp	_	Pro	Ala	Thr	Leu	_	Ala	Val	Val	Glu	Asn	Val	Pro	Pro
251			355					360					365			
	Leu		Trp	Lys	Glu	Phe		Arg	Arg	Leu	Gly		Ser	Asp	His	Glu
254		370					375					380				
		Asp	Arg	Leu	Glu		Gln	Asn	Gly	Arg	_	Leu	Arg	Glu	Ala	Gln
	385					390					395					400
	\mathtt{Tyr}	Ser	Met	Leu		Thr	${ t Trp}$	Arg	Arg		Thr	Pro	Arg	Arg		Ala
260					405	_		_		410					415	_
	Thr	Leu	Glu		Leu	Gly	Arg	Val	Leu	Arg	Asp	Met	Asp		Leu	Gly
263			_	420	_	_	_	_	425					430	•	
	Cys	Leu		Asp	Ile	Glu	Glu		Leu	Cys	Gly	Pro		Ala	Leu	Pro
266		_	435					440					445			
	Pro		Pro	Ser	Leu	Leu										
269	.64	450			_		455									
	<210															
2/3	<211	т> ГІ	ingTI	1: 48	33											

Input Set : A:\98385Hseq.txt

Output Set: N:\CRF3\09102001\1899422.raw

	<212 <213				Homo sapiens												
	<220																
278	<221	L> NA	AME/I	KEY:	CDS												
279	<222	2> L(CAT:	ION:	(1)(483)												
	<400																
282	gat	agt	gtg	tgt	ccc	caa	gga	aaa	tat	atc	cac	cct	caa	aat	aat	tcq	48
	Asp																
284	1			_	5		-	-	-	10					15		
286	att	tgc	tgt	acc	aag	tgc	cac	aaa	gga	acc	tac	ttg	tac	aat	gac	tgt	96
	Ile																
288				20					25					30			
290	cca	ggc	ccg	ggg	cag	gat	acg	gac	tgc	agg	gag	tgt	gag	agc	ggc	tcc	144
291	Pro	Gly	Pro	Gly	Gln	Asp	Thr	Asp	Cys	Arg	Glu	Cys	Glu	Ser	Gly	Ser	
292			35					40					45				
294	ttc	acc	gct	tca	gaa	aac	cac	ctc	aga	cac	tgc	ctc	agc	tgc	tcc	aaa	192
295	Phe	Thr	Ala	Ser	Glu	Asn	His	Leu	Arg	His	Cys	Leu	Ser	Cys	Ser	Lys	
296		50					55					60					
	tgc																240
299	Cys	Arg	Lys	Glu	Met	Gly	Gln	Val	Glu	Ile		Ser	Cys	Thr	Val	Asp	
300	65					70					75					80	
	cgg								_		_						288
303	Arg	Asp	Thr	Val	Cys	Gly	Cys	Arg	Lys	Asn	Gln	Tyr	Arg	His	Tyr	\mathtt{Trp}	
304					85					90					95		
	agt	_				-	-			-	_		_				336
	Ser	Glu	Asn		Phe	Gln	Cys	Phe		Cys	Ser	Leu	Cys	Leu	Asn	Gly	
308				100					105					110			
	acc																384
	Thr	Val		Leu	Ser	Cys	Gln		Lys	Gln	Asn	Thr		Cys	Thr	Cys	
312			115					120					125				
	cat	-					_	_			_	_		_	_		432
	His		Gly	Phe	Phe	Leu	_	Glu	Asn	Glu	Cys		Ser	Cys	Ser	Asn	
316		130					135					140					
	tgt																480
	Cys	ьуs	гāг	Ser	Leu		Cys	Thr	ьys	Leu	_	Leu	Pro	GIn	Пе		
	145					150					155					160	400
	aat																483
	Asn)	70 TI														
	<210																
	<211) Т												
	<212				Home		oi on						٨				
	<213 <400) Saj)Tell:	>									•
	Asp					Gln	C1 17	Luc	Пил	Tla	Hic	Dro	Gln	Acn	λen	Sar	
333	ASP	261	Val	Cys	5	GIII	GIY	пуз	тут	10	птъ	FIO	GIII	ASII	15	261	
	Ile	Cve	Cve	ጥኮታ	-	Cve	Hic	Luc	G1 v		Фттт	Leu	Фулт	Δen		Cve	
336	TIG	Cys	Cys	20	пув	Cys	urs	пув	25	T11T	TYT	пеп	TÄT	30	voh	CYS	
	Pro	Glv	Pro		Gln	Asn	Thr	Asn		Ara	Glu	Cve	Glu		Glv	Ser	
339	110	011	35		O-2-11			40	013	*** 3	OIU		45	501			

VERIFICATION SUMMARY

DATE: 09/10/2001

PATENT APPLICATION: US/09/899,422

TIME: 09:20:18

Input Set : A:\98385Hseq.txt

Output Set: N:\CRF3\09102001\I899422.raw

L:14 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:687 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:815 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:847 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:885 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:1419 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18
L:1439 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19
L:1485 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22
L:1551 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26
L:1626 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31
L:1667 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33
L:1670 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33
L:1689 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34
L:1692 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34
L:1725 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34
L:1725 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36